

MP5 Range



High Pressure Triplex Motorpumps

MP5 Range TECHNICAL FEATURES


Destination Country			USA - EU	USA - EU	OTHER - EU
Power	-	hp	550	550	510
	-	kW	405	405	375
Power-end Type	S	-	✓	-	-
	STD	-	-	✓	✓
Transmission	Chain	-	✓ Diagram A	✓	✓ Diagram B
Max. Pressure	Chain	Bar Mpa	800 80	800 80	800 80
		PSI	11600	11600	11600
Max. Delivery	Chain	l/min	480	410	410
		gpm	127	110	110
Plunger Ø	-	mm	88,9 - 100 - 108 - 115	88,9 - 100 - 108	88,9 - 100 - 108
	-	in	3,5" - 4" - 4" 1/4 - 4,5"	3,5" - 4" - 4" 1/4	3,5" - 4" - 4" 1/4"
Max. SPM	Chain	n.	122	117	117
Stroke	-	mm	127	127	127
	-	in	5	5	5
Suction Ø	-	mm	88,9 - 100	88,9 - 100	88,9 - 100
	-	in	3" 1/2 - 4"	3" 1/2 - 4"	3 1/2" - 4"
Output Ø	-	mm	31,8 - 38	31,8 - 38	31,8 - 38
	-	in	1" 1/4 - 1" 1/2"	1" 1/4 - 1" 1/2"	1" 1/4 - 1" 1/2"
Overall Dimensions	-	m	2,46x6,06x2,59	2,46x6,06x2,59	2,46x6,06x2,59
	-	ft in	8'x20'x8',6"	8'x20'x8',6"	8'x20'x8',6"
Weight	-	kg	13700	13500	13500
	-	lb	30200	29800	29800

✓ Available


Other diesel engines on request

All technical data are purely indicative
and subject to change without notice

MP5 | Diagram A



MP5 | Diagram B



With you on the Job-Site

